

**BROCHURE**



**AFC**  
CABLE SYSTEMS®

**BARREL PACK SYSTEM**



**ROYAL ELECTRIC SUPPLY  
COMPANY**

3233 W Hunting Park Avenue, Philadelphia PA 19132-1845  
(800) 79-ROYAL (215) 221-1200 fax (215) 221-1201  
advisors@royalelectric.com www.royalelectric.com

**WE GET IT**  
24/7 Emergency Material Access

**Tripod • Cart • MC Tuff® • MC Lite® • MC-Quik® • MC-Stat®**

A PART OF





## TRIPOD

### Description:

Three legged, collapsible with black knob handscrews

Made out of high quality aluminum alloy

### Tripod Dimensions:

Height: 27.5"

Width: 5" (collapsed)

Weight: 7lbs

**Part number:** 9990



## BARREL TRUCK



### Description:

Barrel truck with footrest

### Dimensions:

Wheel Type: 10" X 2 1/2" Cast Aluminum  
Mold On Rubber

Axle: 7/8"

Height: 60"

Width: 24 1/2"

Product Class: I75

Frame Cap: 1200 LBS.

**Part number:** 9980



AFC  
CABLE SYSTEMS®

A PART OF **atkore**  
INTERNATIONAL



## METAL CLAD BARREL PACK

- Economical design reduces the effort required to install cables
- Easily transported around the job site
- Reduce scrap and handling
- Easy pull
- 75 gallon fiber barrel rated for 400 lbs
- Lever Locking steel band lid
- Barrel Dimensions: 43" H x 24" Dia.



## BARREL PAY-OFF TRIPOD

- Mounts easily to the Barrel Pack
- Designed to guide cables from the Barrel Pack
- Collapsible
- Omni-directional (no need to rotate direction of pull)



## HARPER BARREL TRUCK WITH FOOTREST

- Easily move barrel from location to location
- Sliding chime hook is adjustable and replaceable for steel or fiber barrels
- Footrest to position truck under barrels
- For barrels up to 48 inches high

# MC TUFF® & MC LITE®

## MC TUFF® SOLID CONDUCTOR

PART NUMBER	TRADE SIZE	CONDUCTOR COLORS	STOCK/SPECIAL MAKE	GROUNDING CONDUCTOR AWG	LENGTH	MIN. ORDER QUANTITY	PALLET QUANTITY	ARMOR MINIMUM O.D. (in)	APPROXIMATE TOTAL BARREL WEIGHT (lbs)
1704B93T00	12-2	Black, White	Stock	12 Solid Green	2500	2500	10000	0.495	388
1704B93T01	12-2	Brown, Gray	Stock	12 Solid Green	2500	2500	10000	0.495	388
1704B93T02	12-2	Orange, Gray	Special Make	12 Solid Green	2500	10000	10000	0.495	388
1704B93T03	12-2	Yellow, Gray	Special Make	12 Solid Green	2500	10000	10000	0.495	388
1705B92T00	12-3	Black, Red, White	Stock	12 Solid Green	2000	2000	8000	0.530	392
1705B92T01	12-3	Brown, Orange, Gray	Stock	12 Solid Green	2000	2000	8000	0.530	392
1705B92T02	12-3	Orange, Yellow, Gray	Special Make	12 Solid Green	2000	8000	8000	0.530	392
1705B92T03	12-3	Brown, Yellow, Gray	Special Make	12 Solid Green	2000	8000	8000	0.530	392
1706B91T00	12-4	Black, Red, Blue, White	Special Make	12 Solid Green	1500	6000	6000	0.565	355
1706B91T01	12-4	Brown, Orange, Yellow, Gray	Special Make	12 Solid Green	1500	6000	6000	0.565	355
1707B91T00	10-2	Black, White	Special Make	10 Solid Green	1500	6000	6000	0.560	353
1707B91T01	10-2	Brown, Gray	Special Make	10 Solid Green	1500	6000	6000	0.560	353
1708B90T00	10-3	Black, Red, White	Special Make	10 Solid Green	1000	4000	4000	0.600	288
1708B90T01	10-3	Brown, Orange, Gray	Special Make	10 Solid Green	1000	4000	4000	0.600	288
1709B90T00	10-4	Black, Red, Blue, White	Special Make	10 Solid Green	1000	4000	4000	0.645	333
1709B90T01	10-4	Brown, Orange, Yellow, Gray	Special Make	10 Solid Green	1000	4000	4000	0.645	333

## MC LITE® PLAIN ARMOR SOLID CONDUCTOR

PART NUMBER	TRADE SIZE	CONDUCTOR COLORS	STOCK/SPECIAL MAKE	GROUNDING CONDUCTOR AWG	LENGTH	MIN. ORDER QUANTITY	PALLET QUANTITY	ARMOR MINIMUM O.D. (in)	APPROXIMATE TOTAL BARREL WEIGHT (lbs)
2104-93-00	12-2	Black, White	Stock	12 Solid Green	2500	2500	10000	0.495	295
2104-93-01	12-2	Brown, Gray	Stock	12 Solid Green	2500	2500	10000	0.495	295
2104-93-02	12-2	Orange, Gray	Special Make	12 Solid Green	2500	10000	10000	0.495	295
2104-93-03	12-2	Yellow, Gray	Special Make	12 Solid Green	2500	10000	10000	0.495	295
2105-92-00	12-3	Black, Red, White	Stock	12 Solid Green	2000	2000	8000	0.530	290
2105-92-01	12-3	Brown, Orange, Gray	Stock	12 Solid Green	2000	2000	8000	0.530	290
2105-92-02	12-3	Orange, Yellow, Gray	Special Make	12 Solid Green	2000	8000	8000	0.530	290
2105-92-03	12-3	Brown, Yellow, Gray	Special Make	12 Solid Green	2000	8000	8000	0.530	290
2106-91-00	12-4	Black, Red, Blue, White	Special Make	12 Solid Green	1500	6000	6000	0.565	275
2106-91-01	12-4	Brown, Orange, Yellow, Gray	Special Make	12 Solid Green	1500	6000	6000	0.565	275
2107-91-00	10-2	Black, White	Special Make	10 Solid Green	1500	6000	6000	0.560	260
2107-91-01	10-2	Brown, Gray	Special Make	10 Solid Green	1500	6000	6000	0.560	260
2108-90-00	10-3	Black, Red, White	Special Make	10 Solid Green	1000	4000	4000	0.600	235
2108-90-01	10-3	Brown, Orange, Gray	Special Make	10 Solid Green	1000	4000	4000	0.600	235
2109-90-00	10-4	Black, Red, Blue, White	Special Make	10 Solid Green	1000	4000	4000	0.645	280
2109-90-01	10-4	Brown, Orange, Yellow, Gray	Special Make	10 Solid Green	1000	4000	4000	0.645	280

# PRODUCT CHARTS

# MC LITE®, MC-QUIK®, & MC-STAT®

## MC LITE® PLAIN ARMOR STRANDED CONDUCTOR

PART NUMBER	TRADE SIZE	CONDUCTOR COLORS	STOCK/SPECIAL MAKE	GROUNDING CONDUCTOR AWG	LENGTH	MIN. ORDER QUANTITY	PALLET QUANTITY	ARMOR MINIMUM O.D. (in)	APPROXIMATE TOTAL BARREL WEIGHT (lbs)
2158-92-00	12-2	Black, White	Stock	12 Stranded Green	2000	2000	8000	0.495	240
2158-92-01	12-2	Brown, Gray	Stock	12 Stranded Green	2000	2000	8000	0.495	240
2159-91-00	12-3	Black, Red, White	Stock	12 Stranded Green	1500	1500	6000	0.530	290
2159-91-01	12-3	Brown, Orange, Gray	Stock	12 Stranded Green	1500	1500	6000	0.530	290
2160-90-00	12-4	Black, Red, Blue, White	Special Make	12 Stranded Green	1000	4000	4000	0.565	190
2161-90-00	10-2	Black, White	Special Make	10 Stranded Green	1000	4000	4000	0.560	180

## MC-QUIK® PLAIN ARMOR SOLID CONDUCTOR

PART NUMBER	TRADE SIZE	CONDUCTOR COLORS	STOCK/SPECIAL MAKE	BARE ALUM. BONDING/BOND COND AWG	LENGTH	MIN. ORDER QUANTITY	PALLET QUANTITY	ARMOR MINIMUM O.D. (in)	APPROXIMATE TOTAL BARREL WEIGHT (lbs)
3104Z93-00	12-2	Black, White	Stock	10	2500	2500	10000	0.463	245
3104Z93-01	12-2	Brown, Gray	Stock	10	2500	2500	10000	0.463	245
3105Z92-00	12-3	Black, Red, White	Stock	10	2000	2000	8000	0.523	264
3105Z92-01	12-3	Brown, Orange, Gray	Stock	10	2000	2000	8000	0.523	264

## MC-QUIK® PLAIN ARMOR STRANDED CONDUCTOR

PART NUMBER	SIZE	CONDUCTOR COLORS	STOCK/SPECIAL MAKE	BARE ALUM. BONDING/BOND COND AWG	LENGTH	MIN. ORDER QUANTITY	PALLET QUANTITY	ARMOR MINIMUM O.D. (in)	APPROXIMATE TOTAL BARREL WEIGHT (lbs)
3158Z92-00	12-2	Black, White	Stock	10	2000	2000	8000	0.482	208
3158Z92-01	12-2	Brown, Gray	Stock	10	2000	2000	8000	0.482	208
3159Z91-00	12-3	Black, Red, White	Stock	10	1500	1500	6000	0.523	146
3159Z91-01	12-3	Brown, Orange, Gray	Stock	10	1500	1500	6000	0.523	146

## MC-STAT® LITE SOLID CONDUCTOR

PART NUMBER	SIZE	COPPER CONDUCTOR TYPE	CONDUCTOR COLORS	GROUNDING CONDUCTOR AWG/COLOR	STOCK/SPECIAL MAKE	BARE ALUM. BONDING/BOND COND AWG	LENGTH	MIN. ORDER QUANTITY	PALLET QUANTITY	ARMOR MINIMUM O.D. (in)	APPROXIMATE TOTAL BARREL WEIGHT (lbs)
5804-92-00	12-2	Solid	Black, White	12/green	Special Make	10	2000	8000	8000	0.523	203
5804-92-01	12-2	Solid	Brown, Gray	12/green	Special Make	10	2000	8000	8000	0.523	203
5805-91-00	12-3	Solid	Black, Red, White	12/green	Special Make	10	1500	6000	6000	0.565	324
5805-91-01	12-3	Solid	Brown, Orange, Gray	12/green	Special Make	10	1500	6000	6000	0.565	324