

LED SIGN TUBE UNIFORM





3233 W Hunting Park Avenue, Philadelphia PA 19132-1845 (800) 79-ROYAL (215) 221-1200 fax (215) 221-1201 advisors@royalelectric.com www.royalelectric.com

WE GET IT

24/7 Emergency Material Access







LED SIGN TUBE UNIFORM

For Linear Fluorescent Lamp Replacement

The EVERLINE® Sign Tube is an LED outdoor replacement solution for T12HO or T8HO lit signs. LED Technology requires substantially less maintenance than fluorescent systems and consumes up to 60% less electricity. Designed for fast and easy installation, the Sign Tube uses the existing RDC sockets without modification. The EVERLINE® Sign Tubes feature 90° adjustable RDC style endcaps for correct lamp orientation in vertical or horizontal installations, regardless of how the socket was originally installed.

The durable acrylic tube contains LEDs that have excellent light distribution and is available in single-sided or double-sided configurations. As a Class II, 24V Constant Voltage product, the EVERLINE® Sign Tube can be installed using daisy-chain or parallel wiring.

With EVERLINE® LED Sign Tubes, signs can be seamlessly converted from existing fluorescent to LED technology reducing maintenance related service calls and reducing the end users over all utility cost.







Universal's LED Sign Tube is a one-to-one LED retrofit replacement solution for an existing fluorescent sign box. When installed with a Universal LED driver, our LED Sign Tube is up to 60% more efficient than traditional fluorescent lamp installations.



Ordering

Part Number	Length	Power (W)	Lumens	CRI	CCT	
Single Sided						
ST24-865-SS	24"	6W	680lm	82	6500	
ST36-865-SS	36"	9W	1017lm	82	6500	
ST48-865-SS	48"	12W	1360lm	82	6500	
ST60-865-SS	60"	15W	1695lm	82	6500	
ST72-865-SS	72"	18W	2040lm	82	6500	
ST84-865-SS	84"	21W	2372lm	82	6500	
ST96-865-SS	96"	24W	2720lm	82	6500	
ST108-865-SS	108"	27W	3051lm	82	6500	
ST120-865-SS	120"	30W	3390lm	82	6500	
Double Sided						
ST24-865-DS	24"	12W	1360lm	82	6500	
ST36-865-DS	36"	18W	2034lm	82	6500	
ST48-865-DS	48"	24W	2720lm	82	6500	
ST60-865-DS	60"	30W	3390lm	82	6500	
ST72-865-DS	72"	36W	4080lm	82	6500	
ST84-865-DS	84"	42W	4746lm	82	6500	
ST96-865-DS	96"	48W	5440lm	82	6500	
ST108-865-DS	108"	54W	6102lm	82	6500	
ST120-865-DS	120"	60W	6780lm	82	6500	

Easy Installation

- 24V Constant voltage product allows for simple class II wiring.
- 90° Adjustable RDC style endcaps for correct lamp orientations.
- Ideal for Vertical or Horizontal installation.
- Utilizes the same spacing as standard fluorescent systems.
 - 12" on center spacing
 - As close as 5" to the sign face.
- Designed for daisy-chain or parallel wiring.

Superior Performance

- Up to 60% more efficient than fluorescent systems at over 113lm/W.
- 340lm/ft delivered to the sign face for bright and even illumination.
- Run up to 32' of single sided (16' double sided) tubes on one L24V100UNV-A or L24V100UNV-Q 100W power supply.
- Rated for more than 60,000 hours of usable life.
- 6500 CCT
- 5 year limited warranty.



LED Sign Tube Specifications

•	•		
Operational		Mechanical	
Input Voltage	24VDC		ST24": 21.8"
Lumens per Watt	113		ST36": 33.8"
Lumen Maintenance	L85>60Khrs		ST48": 45.8"
Color Consistency	<4 SDCM (6500K)	Tube Length	ST60": 57.8"
Environmental		(not including	ST72": 69.8"
Min. Ambient	-22°F, -30°C	connectors)	ST84": 81.8"
Operating Temp	-22 1, -30 C		ST96": 93.8"
Max. Ambient	140°F, 60°C		ST108": 105.1"
Operating Temp	140 1, 00 0		ST120": 117.1"
Regulatory		Diameter	1.5"
	UL8750	Lead Length	8"
Safety	CSA-C22.2 No. 250.13-14	Ordering	
	RoHS Compliant	Carton Quantity	4/Master Pack

Ca	atalog Number	Power Consumption (W)	Qty/100W Driver			
		Single Sided				
ST24-86	5-SS	6	16 LED Tubes			
ST36-86	5-SS	9	11 LED Tubes			
ST48-86	5-SS	12	8 LED Tubes			
ST60-86	5-SS	15	6 LED Tubes			
ST72-86	5-SS	18	5 LED Tubes			
ST84-86		21	4 LED Tubes			
ST96-86		24	4 LED Tubes			
ST108-8	65-SS	27	3 LED Tubes			
ST120-8	65-SS	30	3 LED Tubes			
Double Sided						
ST24-86		12	8 LED Tubes			
ST36-86		18	5 LED Tubes			
ST48-86		24	4 LED Tubes			
ST60-86		30	3 LED Tubes			
ST72-86		36	2 LED Tubes			
ST84-86	~ - ~	42	2 LED Tubes			
ST96-86		48	2 LED Tubes			
ST108-8		54	1 LED Tube			
ST120-8	65-DS	60	1 LED Tube			



Universal makes the retrofit decision easy with a variety of Sign Replacement Solutions.





For Sign Box Upgrades





For HID Upgrades





For Tough Environments

